# **Material Safety Data Sheet**



# 1. Identification of the material and supplier

**Product name** Magna GC 32

SDS no.

Machine tool slideway lubricant. **Product use** 

For specific application advice see appropriate Technical Data Sheet or consult our company

representative

**Supplier** Castrol Australia Pty Ltd

Level 17, 717 Bourke Street Docklands, Victoria 3008 ABN 87 008 459 407 www.castrol.com.au

Tel: +61 (03) 9268 4111 Fax: +61 (03) 9268 3321

**EMERGENCY TELEPHONE** +61 2801 44558 (or 1800 14 14 74 within Australia)

**NUMBER** 

**OTHER PRODUCT** Technical Advice Helpline Number: 1300 557 998 **INFORMATION** 

**Product code** 451031-AU22

#### 2. Hazards identification

Statement of hazardous

dangerous nature

NON-HAZARDOUS SUBSTANCE, NON-DANGEROUS GOODS.

Risk phrases R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Safety phrases S61- Avoid release to the environment. Refer to special instructions/safety data sheet.

## Composition/information on ingredients

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

This product does not contain any hazardous ingredients at or above regulated thresholds.

# First-aid measures

Eye contact In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should

be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses.

Get medical attention.

Skin contact Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated

clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical

attention if irritation develops.

Inhalation If inhaled, remove to fresh air. Get medical attention if symptoms appear.

Ingestion Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth

to an unconscious person. If unconscious, place in recovery position and get medical attention

immediately. Get medical attention if symptoms occur.

Advice to doctor Treatment should in general be symptomatic and directed to relieving any effects.

#### Fire-fighting measures

**Extinguishing media** 

Suitable In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.

Not suitable Do not use water jet.

**Hazardous decomposition** products

carbon dioxide

carbon monoxide

**Unusual fire/explosion** 

In a fire or if heated, a pressure increase will occur and the container may burst.

Special fire-fighting

procedures

Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is

a fire. This material is harmful to aquatic organisms.

**Protection of fire-fighters** Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus

Decomposition products may include the following materials:

(SCBA) with a full face-piece operated in positive pressure mode.

Product name Magna GC 32 Product code 451031-AU22 Page: 1/4 Date of issue 26 May 2015 Language ENGLISH **Format Australia** 

> (ENGLISH) (Australia)

#### Accidental release measures

Personal precautions No action shall be taken involving any personal risk or without suitable training. Evacuate

surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective

equipment (see Section 8).

**Environmental precautions** Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large

quantities.

Large spill Stop leak if without risk. Move containers from spill area. Approach the release from upwind.

Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Contaminated absorbent material may pose the same hazard as the spilt product. Dispose of via a licensed waste disposal contractor.

Small spill Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in

an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## 7. Handling and storage

Handling Put on appropriate personal protective equipment. Do not ingest. Avoid contact with eyes, skin and

clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. Empty

containers retain product residue and can be hazardous.

Storage Store and use only in equipment/containers designed for use with this product. Keep away from heat and direct sunlight. Keep container tightly closed and sealed until ready for use. Containers that

and direct sunlight. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Store in accordance with local regulations. Store in a dry, cool and well-

ventilated area, away from incompatible materials (see Section 10).

Not suitable Prolonged exposure to elevated temperature.

Combustibility Classification Combustible liquid Class C2 (AS 1940).

## 8. Exposure controls/personal protection

Ingredient name Occupational exposure limits

Base oil - unspecified Safe Work Australia (Australia).

TWA: 5 mg/m³ 8 hours. Form: Oil mist, mineral

Whilst specific OELs for certain components are included in this SDS, it should be noted that other components of the preparation will be present in any mist, vapour or dust produced. For this reason, the specific OELs may not be applicable to the product and are provided for guidance purposes.

**Biological Limit Values** 

Exposure controls

**Occupational exposure** 

controls

No biological limit allocated.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective occupational exposure limits.

All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled. Personal protective equipment should only be considered after other forms of control measures (e.g. engineering controls) have been suitably evaluated. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.

Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards. For further information contact your national organisation for standards. The final choice of protective equipment will depend upon a risk assessment. It is important to ensure

that all items of personal protective equipment are compatible. **Hygiene measures**Wash hands, forearms and face thoroughly after handling cher

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety

showers are close to the workstation location.

Personal protective equipment

Respiratory protection Skin and body

**Hand protection** 

None required. However, use of adequate ventilation is good industrial practice.

None required; however, use of protective clothing is good industrial practice.

Wear protective gloves if prolonged or repeated contact is likely. Wear chemical resistant gloves. Recommended: Nitrile gloves. The correct choice of protective gloves depends upon the chemicals being handled, the conditions of work and use, and the condition of the gloves (even the best chemically resistant glove will break down after repeated chemical exposures). Most gloves provide only a short time of protection before they must be discarded and replaced. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Gloves should therefore be chosen in consultation with the supplier/

manufacturer and with a full assessment of the working conditions.

**Eye protection** Safety glasses with side shields.

Product name Magna GC 32 Product code 451031-AU22 Page: 2/4

Version 1 Date of issue 26 May 2015 Format Australia Language ENGLISH

Date of issue 26 May 2015 Format Australia Language ENGLISH

(Australia) (ENGLISH)

## 9. Physical and chemical properties

Liquid. **Physical state** Amber. Colour Odour Not available.

Flash point Closed cup: 204°C (399.2°F) [Pensky-Martens.]

Open cup: 216°C (420.8°F) [Cleveland.]

Vapour pressure Vapour density Not available.

**Viscosity** Kinematic: 30 to 33 mm<sup>2</sup>/s (30 to 33 cSt) at 40°C

Not available pН Boiling point / range Not available. Melting point / range Not available. -12 °C **Pour point** Relative density/Specific

Not available.

gravity

**Density** <1000 kg/m3 (<1 g/cm3) at 20°C

Solubility insoluble in water.

# 10 . Stability and reactivity

Stability The product is stable.

**Conditions to avoid** Avoid all possible sources of ignition (spark or flame).

Incompatibility with various

substances/Hazardous Reactions

**Hazardous decomposition** 

Decomposition products may include the following materials: products carbon dioxide

carbon monoxide

# 11. Toxicological information

**Effects and symptoms** 

Eves No significant health hazards identified. Skin No significant health hazards identified. Inhalation No significant health hazards identified. Ingestion No significant health hazards identified.

**Chronic toxicity** 

Carcinogenic effects No component of this product at levels greater than or equal to 0.1% is identified as a carcinogen by

ACGIH, the International Agency for Research on Cancer (IARC), the European Commission (EC),

or the National Occupational Health and Safety Commission (Australia).

Reactive or incompatible with the following materials: oxidising materials.

**Mutagenic effects** No known significant effects or critical hazards

#### 12. Ecological information

**Ecotoxicity** Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Biodegradability** 

Persistence/degradability The biodegradability of this material has not been determined. Spillages may penetrate the soil causing ground water contamination.

**Bioaccumulative potential** This product is not expected to bioaccumulate through food chains in the environment.

Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer Other ecological information

could also be impaired.

# 13. Disposal considerations

Disposal considerations / **Waste information** 

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

**Special Precautions for** Landfill or Incineration

No additional special precautions identified.

Product name Magna GC 32 Product code 451031-AU22 Page: 3/4 Date of issue 26 May 2015 Language ENGLISH Version 1 **Format Australia** 

> (ENGLISH) (Australia)

## 14. Transport information

#### International transport regulations

Not classified as dangerous for transport (ADG, IMDG, ICAO/IATA).

Special precautions for user No known special precautions required. See Section: "Handling and storage" for additional

## 15 . Regulatory information

**Standard Uniform Schedule of Medicine and Poisons** 

Not regulated.

**Control of Scheduled Carcinogenic Substances** 

Ingredient name **Schedule** 

No Listed Substance

Other regulations

For the REACH status of this product please consult your company contact, as identified in Section 1. **REACH Status** 

**United States inventory** 

**Australia inventory (AICS)** 

(TSCA 8b)

All components are listed or exempted.

All components are listed or exempted.

**Canada inventory** All components are listed or exempted. China inventory (IECSC) All components are listed or exempted. Japan inventory (ENCS) All components are listed or exempted. All components are listed or exempted. Korea inventory (KECI) **Philippines inventory** All components are listed or exempted.

(PICCS)

Not determined. Taiwan inventory (CSNN)

#### 16. Other information

Key to abbreviations

AMP = Acceptable Maximum Peak

ACGIH = American Conference of Governmental Industrial Hygienists, an agency that promulgates

exposure standards.

ADG = Australian Code for the Transport of Dangerous Goods by Road and Rail

ADG Code = Australian Code for the Transport of Dangerous Goods by Road and Rail

CAS Number = Chemical Abstracts Service Registry Number

HAZCHEM Code = Emergency action code of numbers and letters which gives information to emergency services. Its use is required by the ADG Code for Dangerous Goods in bulk.

ICAO = International Civil Aviation Organization.

IATA = International Air Transport Association, the organization promulgating rules governing

shipment of goods by air.

IMDG = International Maritime Organization Rules, rules governing shipment of goods by water.

IP 346 = A chemical screening assay for dermal toxicity. The European Commission has

recommended that Method IP 346 be used as the basis for labelling certain lubricant oil base stocks for carcinogenicity. The EU Commission has stipulated that the classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346. (See Note L, European Commission Directive 67/548/EEC as amended and adapted.)

DMSO is a solvent.

NOHSC = National Occupational Health & Safety Commission, Australia

TWA = Time weighted average STEL = Short term exposure limit

UN Number = United Nations Number, a four digit number assigned by the United Nations Committee

of Experts on the Transport of Dangerous Goods.

History

Date of issue 26/05/2015.

Date of previous issue No previous validation. Prepared by Product Stewardship

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

Product name Magna GC 32 Product code 451031-AU22 Page: 4/4 Date of issue 26 May 2015 Language ENGLISH Version 1

**Format Australia** (ENGLISH) (Australia)