Material Safety Data Sheet



1. Identification of the material and supplier

Product name Magnaglide D 220

SDS no. 451056
Product use Lubricant

For specific application advice see appropriate Technical Data Sheet or consult our company

representative

Supplier Castrol Australia Pty Ltd

Level 17, 717 Bourke Street Docklands, Victoria 3008 ABN 87 008 459 407 www.castrol.com.au

Tel: +61 (03) 9268 4111 Fax: +61 (03) 9268 3321

EMERGENCY TELEPHONE +61 2801 44558 (or 1800 14 14 74 within Australia)

NUMBER

OTHER PRODUCT Technical Advice Helpline Number: 1300 557 998 INFORMATION

Product code 451056-AU22

2. Hazards identification

Statement of hazardous/ dangerous nature NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS.

3. Composition/information on ingredients

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

This product does not contain any hazardous ingredients at or above regulated thresholds.

4. First-aid measures

Eye contact In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should

be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses.

Get medical attention.

Skin contact Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated

clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical

attention if irritation develops.

Inhalation If inhaled, remove to fresh air. Get medical attention if symptoms appear.

Ingestion Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if

symptoms occur.

Advice to doctor Treatment should in general be symptomatic and directed to relieving any effects.

5. Fire-fighting measures

Extinguishing media

Suitable In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.

Not suitable Do not use water jet.

Hazardous decomposition Decomposition products may include the following materials:

products carbon dioxide

carbon monoxide

Unusual fire/explosion In a fire or if

hazards

In a fire or if heated, a pressure increase will occur and the container may burst.

Special fire-fighting No action shall be taken involving any personal risk or without suitable training. Promptly isolate the

procedures scene by removing all persons from the vicinity of the incident if there is a fire.

Protection of fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus

(SCBA) with a full face-piece operated in positive pressure mode.

Product nameMagnaglide D 220Product code451056-AU22Page: 1/4Version 1Date of issue 4 May 2015Format AustraliaLanguage ENGLISH

(Australia) (ENGLISH)

Accidental release measures

No action shall be taken involving any personal risk or without suitable training. Evacuate **Personal precautions**

> surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment (see Section 8).

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. **Environmental precautions**

Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, Large spill

basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to

local regulations. Dispose of via a licensed waste disposal contractor.

Small spill Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in

an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

7. Handling and storage

Handling Put on appropriate personal protective equipment.

Storage Store and use only in equipment/containers designed for use with this product. Keep away from heat

and direct sunlight. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Store in accordance with local regulations. Store in a dry, cool and well-

ventilated area, away from incompatible materials (see Section 10).

Combustibility Classification Combustible liquid Class C2 (AS 1940).

Exposure controls/personal protection

Ingredient name Occupational exposure limits Base oil - unspecified Safe Work Australia (Australia).

TWA: 5 mg/m3 8 hours. Form: Oil mist, mineral

Whilst specific OELs for certain components are included in this SDS, it should be noted that other components of the preparation will be present in any mist, vapour or dust produced. For this reason, the specific OELs may not be applicable to the product and are provided for guidance purposes.

Biological Limit Values No biological limit allocated.

Exposure controls

Occupational exposure Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of controls

vapours below their respective occupational exposure limits.

All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled. Personal protective equipment should only be considered after other forms of control measures (e.g. engineering controls) have been suitably evaluated. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.

Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards. For further information contact your national organisation for standards. The final choice of protective equipment will depend upon a risk assessment. It is important to ensure

that all items of personal protective equipment are compatible.

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking Hygiene measures

and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety

showers are close to the workstation location.

Personal protective equipment

Respiratory protection Avoid breathing of vapours, mists or spray. Select and use respirators in accordance with AS/NZS

1715/1716. When mists or vapours exceed the exposure standards then the use of the following is recommended: Approved respirator with organic vapour and dust/mist (Type P1) filters. Filter

capacity and respirator type depends on exposure level.

Skin and body None required; however, use of protective clothing is good industrial practice.

Hand protection Wear protective gloves if prolonged or repeated contact is likely. Wear chemical resistant gloves.

Recommended: Nitrile gloves. The correct choice of protective gloves depends upon the chemicals being handled, the conditions of work and use, and the condition of the gloves (even the best chemically resistant glove will break down after repeated chemical exposures). Most gloves provide only a short time of protection before they must be discarded and replaced. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Gloves should therefore be chosen in consultation with the supplier/

manufacturer and with a full assessment of the working conditions.

Eye protection Safety glasses with side shields

9. Physical and chemical properties

Physical state Liquid. Colour Brown. Odour Not available.

Closed cup: 240°C (464°F) [Pensky-Martens.] Flash point

Vapour pressure Not available. Vapour density Not available.

Product name Magnaglide D 220 Product code 451056-AU22 Page: 2/4

Language ENGLISH Version 1 Date of issue 4 May 2015 **Format Australia** (ENGLISH) (Australia)

Viscosity Kinematic: 220 mm²/s (220 cSt) at 40°C

pH Not available.

Boiling point / range Not available.

Melting point / range Not available.

Relative density/Specific Not available.

gravity

Density <1000 kg/m³ (<1 g/cm³) at 15°C

Solubility insoluble in water.

10 . Stability and reactivity

Stability The product is stable.

Conditions to avoid Avoid all possible sources of ignition (spark or flame).

Incompatibility with various

Hazardous decomposition

substances/Hazardous

Reactions

Decomposition products may include the following materials:

Reactive or incompatible with the following materials: oxidising materials.

products carbon dioxide carbon monoxide

11. Toxicological information

Effects and symptoms

EyesNo significant health hazards identified.SkinNo significant health hazards identified.InhalationNo significant health hazards identified.IngestionNo significant health hazards identified.

Chronic toxicity

Carcinogenic effects

No component of this product at levels greater than or equal to 0.1% is identified as a carcinogen by

ACGIH, the International Agency for Research on Cancer (IARC), the European Commission (EC),

or the National Occupational Health and Safety Commission (Australia).

Mutagenic effects No known significant effects or critical hazards.

12 . Ecological information

Ecotoxicity Not classified as environmentally hazardous in accordance with the 'Approved Criteria for Classifying

Hazardous Substances' [NOHSC (1008)/2004 as amended and adapted].

Biodegradability

Persistence/degradability The biodegradability of this material has not been determined.

Mobility Spillages may penetrate the soil causing ground water contamination.

Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment.

Other ecological information Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer

could also be impaired.

13. Disposal considerations

Disposal considerations / Waste information

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Special Precautions for Landfill or Incineration No additional special precautions identified.

14. Transport information

International transport regulations

Not classified as dangerous for transport (ADG, IMDG, ICAO/IATA).

Special precautions for user

No known special precautions required. See Se

No known special precautions required. See Section: "Handling and storage" for additional information.

Product name Magnaglide D 220 Product code 451056-AU22 Page: 3/4

Version 1 Date of issue 4 May 2015 Format Australia Language ENGLISH

(Australia) (ENGLISH)

15. Regulatory information

Standard Uniform Schedule of Medicine and Poisons

Not regulated.

Control of Scheduled Carcinogenic Substances

Schedule Ingredient name

No Listed Substance

Other regulations

REACH Status For the REACH status of this product please consult your company contact, as identified in Section 1.

United States inventory

(TSCA 8b)

All components are listed or exempted.

Australia inventory (AICS) All components are listed or exempted. Canada inventory At least one component is not listed. China inventory (IECSC) All components are listed or exempted.

Japan inventory (ENCS) At least one component is not listed Korea inventory (KECI) All components are listed or exempted. Philippines inventory

(PICCS)

All components are listed or exempted.

Taiwan inventory (CSNN) Not determined

16. Other information

Key to abbreviations

AMP = Acceptable Maximum Peak

ACGIH = American Conference of Governmental Industrial Hygienists, an agency that promulgates

exposure standards.

ADG = Australian Code for the Transport of Dangerous Goods by Road and Rail ADG Code = Australian Code for the Transport of Dangerous Goods by Road and Rail

CAS Number = Chemical Abstracts Service Registry Number

HAZCHEM Code = Emergency action code of numbers and letters which gives information to emergency services. Its use is required by the ADG Code for Dangerous Goods in bulk.

ICAO = International Civil Aviation Organization.

IATA = International Air Transport Association, the organization promulgating rules governing

shipment of goods by air.

IMDG = International Maritime Organization Rules, rules governing shipment of goods by water.

IP 346 = A chemical screening assay for dermal toxicity. The European Commission has recommended that Method IP 346 be used as the basis for labelling certain lubricant oil base stocks for carcinogenicity. The EU Commission has stipulated that the classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346. (See Note L, European Commission Directive 67/548/EEC as amended and adapted.)

DMSO is a solvent.

NOHSC = National Occupational Health & Safety Commission, Australia

TWA = Time weighted average STEL = Short term exposure limit

UN Number = United Nations Number, a four digit number assigned by the United Nations Committee

of Experts on the Transport of Dangerous Goods.

History

Date of issue 04/05/2015.

Date of previous issue No previous validation. Prepared by **Product Stewardship**

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

Product name Magnaglide D 220 Product code 451056-AU22 Page: 4/4 Version 1 Date of issue 4 May 2015 **Format Australia** Language ENGLISH (ENGLISH) (Australia)