000003001238

VULTREX [™] DRILL ROD HEAVY



Version 2.0 Revision Date 2015/04/14 Print Date 2015/04/14 SECTION 1. PRODUCT AND COMPANY IDENTIFICATION : VULTREX [™] DRILL ROD HEAVY Product name : VULDRODP17, VULDROD, VULDRODDRL Product code Manufacturer or supplier's details Petro-Canada Lubricants Inc. 2310 Lakeshore Road West Mississauga ON L5J 1K2 Canada Emergency telephone Suncor Energy: +1 403-296-3000; Poison Control Centre: Consult local telephone directory for number emergency number(s). Recommended use of the chemical and restrictions on use Recommended use : This product is recommended for the lubrication of diamond drill rods. Prepared by : Product Safety: +1 905-804-4752

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Paste of long fibred texture.		
Colour	Green-Brown		
Odour	Mild grease like.		
Potential Health Effects			
Primary Routes of Entry	: Eye contact Ingestion Inhalation Skin contact		
Aggravated Medical Condition	: None known.		
Carcinogenicity:			
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.		
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.		

VULTREX [™] DRILL ROD HEAVY





000003001238

Version 2.0

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components No hazardous ingredients

SECTION 4. FIRST AID MEAS	SURES
If inhaled	: Move to fresh air.

	Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	 In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice. In the event of a known, or potential, high pressure injection injury, worker should obtain immediate medical evaluation.
In case of eye contact	 Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
If swallowed	 Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.
Most important symptoms and effects, both acute and delayed	: First aider needs to protect himself.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media :	Use extinguishing measures that are appropriate to loca circumstances and the surrounding environment.	l
Unsuitable extinguishing : media	No information available.	
Specific hazards during :	Cool closed containers exposed to fire with water spray.	
Internet: lubricants.petro-canada.ca/msds		Page: 2 /

Petro-Canada is a Suncor Energy business.

VULTREX [™] DRILL ROD HEAVY



000003001238

Version 2.0	Revision Date 2015/04/14	Print Date 2015/04/14
firefighting		
Hazardous combustion products	: Carbon oxides (CO, CO2), nitroge oxides (SOx), smoke and irritating incomplete combustion.	
Further information	: Prevent fire extinguishing water from water or the ground water system.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions.
Environmental precautions	:	Do not allow uncontrolled discharge of product into the environment.
Methods and materials for containment and cleaning up	:	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Conditions for safe storage	 Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

VULTREX [™] DRILL ROD HEAVY



000003001238

Version 2.0		Revision Date 2015/04/14	Print Date 2015/04/14
Engineering measures	:	No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.	
Personal protective equipm	ent		
Respiratory protection	:	Use respiratory protection unless a ventilation is provided or exposure that exposures are within recomme Respirator selection must be based exposure levels, the hazards of the working limits of the selected respir	assessment demonstrates ended exposure guidelines. d on known or anticipated product and the safe
Filter type	:	organic vapour filter	
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol ((PVA), Viton(R).
Remarks	:	Chemical-resistant, impervious glov approved standard should be worn chemical products if a risk assessm necessary.	at all times when handling
Eye protection	:	Wear face-shield and protective su problems.	it for abnormal processing
Skin and body protection	:	Choose body protection in relation concentration and amount of dange the specific work-place.	
Protective measures	:	Wash contaminated clothing before No special protective equipment re	
Hygiene measures	:	Remove and wash contaminated clincluding the inside, before re-use. Wash face, hands and any exposed handling.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Paste of long fibred texture.
Colour	: Green-Brown
Odour	: Mild grease like.
Odour Threshold	: No data available
pН	: No data available
Pour point	: -15 °C (5 °F)Mineral Oil Blend
Boiling point/boiling range	: No data available
Flash point	: 257 °C (495 °F) Method: Cleveland open cup Mineral Oil Blend

Material Safety Data Sheet VULTREX [™] DRILL ROD HEAVY



000003001238

Version 2.0	Revision Date 2015/04/14	Print Date 2015/04/14
Fire Point	: 283 °C (541 °F) Mineral Oil Blend	
Auto-Ignition Temperature	: No data available	
Evaporation rate	: No data available	
Flammability	: Low fire hazard. This material m will occur.	ust be heated before ignition
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.9453 kg/l (15 °C / 59 °F) Mineral Oil Blend	
Solubility(ies)		
Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Viscosity		
Viscosity, kinematic	: 162.5 cSt (40 °C / 104 °F) Mineral Oil Blend	
	14.8 cSt (100 °C / 212 °F) Mineral Oil Blend	
Explosive properties	: Do not pressurise, cut, weld, bra expose containers to heat or sou	

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reactions	Hazardous polymerisation does not occur. Stable under normal conditions.	
Conditions to avoid	No data available	
Incompatible materials	Reactive with oxidising agents, acids and bases.	
Hazardous decomposition products	May release COx, NOx, SOx, alkenes, diphenylamine, and irritating vapours when heated to decomposition.	smoke

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Eye contact
exposure		Ingestion
		Inhalation
		Skin contact

VULTREX [™] DRILL ROD HEAVY



000003001238

Version 2.0	Revision Date 2015/04/14	Print Date 2015/04/14
Acute toxicity		
Product:		
Acute oral toxicity	: Remarks: No data available	
Acute inhalation toxicity	: Remarks: No data available	
Acute dermal toxicity	: Remarks: No data available	
Skin corrosion/irritation		
Product:		
Remarks: No data available	9	
erious eye damage/eye irrita	tion	
Product:		
Remarks: No data available	9	
Respiratory or skin sensit	isation	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure	9	
No data available		
Aspiration toxicity		
No data available		

Ecotoxicity

Product:	
Toxicity to fish	: Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	: Remarks: No data available
Toxicity to algae	: Remarks: No data available

VULTREX [™] DRILL ROD HEAVY



000003001238

Version 2.0	Revision Date 2015/04/14	Print Date 2015/04/14
Toxicity to bacteria :	Remarks: No data available	
Persistence and degradability		
Product:		
Biodegradability :	Remarks: No data available	
Bioaccumulative potential		
No data available		
Mobility in soil		
No data available		
Other adverse effects		
No data available		

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company. Dispose of as hazardous waste in compliance with local and national regulations. Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

49 CFR Not regulated as a dangerous good **TDG** Not regulated as a dangerous good

Special precautions for user

Not applicable

VULTREX [™] DRILL ROD HEAVY



000003001238

Version 2.0

SECTION 15. REGULATORY INFORMATION

WHMIS Classification : Not Rated

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

The components of this product are reported in the following inventories:		
DSL	On the inventory, or in compliance with the inventory	
TSCA	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.	
IECSC EINECS	On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory	

SECTION 16. OTHER INFORMATION

For Copy of (M)SDS	 The Canadian Controlled Products Regulations (CPR) (Under the Hazardous Products Act, part of the WHMIS legislation) only apply to WHMIS Controlled (i.e., hazardous) products. Therefore, the CPR and the 3-year update rule specified therein do not apply to WHMIS Non-Controlled products. Although this is true, customarily Petro-Canada reviews and updates Non-Controlled product MSDS if a customer requests such an update. These Non-Controlled product updates are given a lower priority than Controlled products but are handled as soon as practicable. If you would like to verify if the MSDS you have is the most current, or you require any further information, please contact: Internet: lubricants.petro-canada.ca/msds Western Canada, telephone: 1-800-661-1199; fax: 1-800-378- 4518 Ontario & Central Canada, telephone: 1-800-268-5850; fax: 1- 800-201-6285 Quebec & Eastern Canada, telephone: 1-800-576-1686; fax: 1-800-201-6285 For Product Safety Information: 1 905-804-4752

Prepared by

: Product Safety: +1 905-804-4752

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.