Revision Date 02.03.2015

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name	:	Shell Morlina S2 BA 100

Product code : 001D7814

Manufacturer or supplier's details

Manufacturer/Supplier	: Shell India Markets Private Limited (U23201TN2004PTC053147) 2nd Floor, Campus 4A RMZ Millenia Park 143 Dr. MGR Road, Perungudi CHENNAI 600096 India
Telephone	: (+91) 04443450000
Telefax	: (+91) 04443451516
Emergency telephone number	: +91 22 6516 1058

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

3. HAZARDS IDENTIFICATION

Dangerous for the environn	nent	R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Label elements		
Hazard symbols	: No Hazard Symbol required	
R-phrase(s)		armful to aquatic organisms, may cause long-term ffects in the aquatic environment.
S-phrase(s)		void release to the environment. Refer to special s/ Safety data sheets.

Version 2.2	Revision Date 02.03.2015	Print Date 04.03.2015
Sensitising components	: Contains N-phenyl-1-naphthylamine. Contains (4-nonylphenoxy)acetic acid. May produce an allergic reaction.	

Other hazards

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Used oil may contain harmful impurities. Not classified as flammable but will burn.

4. FIRST-AID MEASURES

General advice	: Not expected to be a health hazard at ambient temperature.
If inhaled	: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	 Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.
In case of eye contact	: Flush eye with copious quantities of water. If persistent irritation occurs, obtain medical attention.
If swallowed	: In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.
Most important symptoms and effects, both acute and delayed	: Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.
Protection of first-aiders	: When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.
Notes to physician	: Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Foam, water spray or fog. Dry chemical powder, car dioxide, sand or earth may be used for small fires or	
Unsuitable extinguishing media	Do not use water in a jet.	
Specific hazards during firefighting	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particl gases (smoke). Carbon monoxide may be evolved if incomplete com occurs. Unidentified organic and inorganic compounds.	

Version 2.2	Revision Date 02.03.2015	Print Date 04.03.2015
Specific extinguishing methods	: Use extinguishing measures that circumstances and the surroundi	
Special protective equipment for firefighters	: Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).	

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Avoid contact with skin and eyes.
Environmental precautions	:	Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
		Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.
Additional advice	:	For guidance on selection of personal protective equipment see Chapter 8 of this Safety Data Sheet. For guidance on disposal of spilled material see Chapter 13 of this Safety Data Sheet.

7. HANDLING AND STORAGE

General Precautions	 Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
Advice on safe handling	 Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires.

Version 2.2	Revision Date 02.03.2015	Print Date 04.03.2015
Avoidance of contact :	Strong oxidising agents.	
Storage		
Other data :	Keep container tightly closed and in a c place. Use properly labeled and closable conta	
Packaging material :	Suitable material: For containers or con steel or high density polyethylene. Unsuitable material: PVC.	tainer linings, use mild
Container Advice :	Polyethylene containers should not be a temperatures because of possible risk of	

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Components with workplace control parameters

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate. Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory. Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

Engineering measures	 The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations. Where material is heated, sprayed or mist formed, there is
----------------------	--

Version 2.2	Revision Date 02.03.2015	Print Date 04.03.2015
	greater potential for airborne concentra	tions to be generated.
	General Information: Define procedures for safe handling an controls. Educate and train workers in the hazar measures relevant to normal activities a product. Ensure appropriate selection, testing an equipment used to control exposure, e. equipment, local exhaust ventilation. Drain down system prior to equipment maintenance. Retain drain downs in sealed storage p subsequent recycle. Always observe good personal hygiene washing hands after handling the mate drinking, and/or smoking. Routinely wa protective equipment to remove contain contaminated clothing and footwear that	d maintenance of ds and control associated with this nd maintenance of .g. personal protective break-in or brending disposal or e measures, such as rial and before eating, ash work clothing and ninants. Discard
Personal protective equipment	Practice good housekeeping.	

Protective measures

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Respiratory protection :	No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for the combination of organic gases and vapours [Type A/Type P boiling point >65°C (149°F)].
Hand protection Remarks	Where hand contact with the product may occur the use of
	gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended.

rsion 2.2	Revision Date 02.03.2015	Print Date 04.03.201
	For continuous contact we reco breakthrough time of more than for > 480 minutes where suitabl short-term/splash protection we recognize that suitable gloves of may not be available and in this time maybe acceptable so long and replacement regimes are for a good predictor of glove resista dependent on the exact compose Glove thickness should be typic depending on the glove make a	a 240 minutes with preference le gloves can be identified. For e recommend the same, but offering this level of protection is case a lower breakthrough as appropriate maintenance ollowed. Glove thickness is not ance to a chemical as it is sition of the glove material. cally greater than 0.35 mm
Eye protection	: Wear safety glasses or full face occur.	shield if splashes are likely to
Skin and body protection	: Skin protection is not ordinarily work clothes.	required beyond standard
Thermal hazards	: Not applicable	
Environmental exposure c	ontrols	
General advice	: Take appropriate measures to f relevant environmental protection contamination of the environme Chapter 6. If necessary, preven being discharged to waste wate treated in a municipal or industr before discharge to surface wat Local guidelines on emission lin must be observed for the dischar vapour.	on legislation. Avoid ent by following advice given in nt undissolved material from er. Waste water should be rial waste water treatment plan ter. nits for volatile substances

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Liquid at room temperature.
Colour	: amber
Odour	: Slight hydrocarbon
Odour Threshold	: Data not available
рН	: Not applicable
pour point	: -15 °C / 5 °FMethod: ISO 3016
Initial boiling point and boiling range	: > 280 °C / 536 °Festimated value(s)
Flash point	: >= 240 °C / >= 464 °F Method: ISO 2592
Evaporation rate	: Data not available

Safety Data Sheet Regulation 1907/2006/EC Shell Morlina S2 BA 100

Version 2.2	Revision Date 02.03.2015	Print Date 04.03.2015
Flammability (solid, gas)	: Data not available	
Upper explosion limit	: Typical 10 %(V)	
Lower explosion limit	: Typical 1 %(V)	
Vapour pressure	: < 0.5 Pa (20 °C / 68 °F) estimated value(s)	
Relative vapour density	: > 1estimated value(s)	
Density	: 880 g/cm3 (15.0 °C / 59.0 °F) Method: ISO 12185	
Solubility(ies)		
Water solubility	: negligible	
Solubility in other solvents	: Data not available	
Auto-ignition temperature	: > 320 °C / 608 °F	
Viscosity		
Viscosity, dynamic	: Data not available	
Viscosity, kinematic	: 100 mm2/s (40.0 °C / 104.0 °F) Method: ASTM D445	
	11.1 mm2/s (100 °C / 212 °F) Method: ASTM D445	
Conductivity	: This material is not expected to be	a static accumulator.
Decomposition temperature	: Data not available	

10. STABILITY AND REACTIVITY

Chemical stability	: Stable.	
Possibility of hazardous reactions	: Reacts with strong oxidising agents.	
Conditions to avoid	: Extremes of temperature and direct sunlight.	
Incompatible materials	: Strong oxidising agents.	
Hazardous decomposition products	: Hazardous decomposition products are not expected to form during normal storage.	۱

Revision Date 02.03.2015 Print Date 04.03.2015

11. TOXICOLOGICAL INFORMATION

Basis for assessment	:	Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
Acute toxicity		
Product:		
Acute oral toxicity	:	LD50 rat: > 5,000 mg/kg Remarks: Expected to be of low toxicity:
Acute inhalation toxicity	:	Remarks: Not considered to be an inhalation hazard under normal conditions of use.
Acute dermal toxicity	:	LD50 Rabbit: > 5,000 mg/kg Remarks: Expected to be of low toxicity:
Acute toxicity (other routes of administration)	:	Remarks: Inhalation of vapours or mists may cause irritation to the respiratory system.

Skin corrosion/irritation

Product:

Remarks: Expected to be slightly irritating., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Serious eye damage/eye irritation

Product:

Remarks: Expected to be slightly irritating.

Respiratory or skin sensitisation

Product:

Remarks: Not expected to be a skin sensitiser.

Germ cell mutagenicity

Product:

Remarks: Not considered a mutagenic hazard.

Carcinogenicity

Product:

Remarks: Not expected to be carcinogenic.

Print Date 04.03.2015

Other Carcinogenicity Classification:

Reproductive toxicity

Product:

Remarks: Not expected to be a hazard.

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Repeated dose toxicity

Product:

Remarks: Not expected to be a hazard.

Aspiration toxicity

Product:

Not considered an aspiration hazard.

Further information

Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

12. ECOLOGICAL INFORMATION

Basis for assessment	 Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract.)
Ecotoxicity	
Product:	
—	

 Toxicity to fish (Acute : toxicity)
 :

 Remarks: Expected to be harmful:

Safety Data Sheet Regulation 1907/2006/EC Shell Morlina S2 BA 100

Version 2.2	Revision Date 02.03.2015	Print Date 04.03.2015
	LL/EL/IL50 10-100 mg/l	
Toxicity to crustacean (Acute toxicity)	: Remarks: Expected to be harmfu LL/EL/IL50 10-100 mg/l	l:
Toxicity to algae/aquatic plants (Acute toxicity)	: Remarks: Expected to be harmfu LL/EL/IL50 10-100 mg/l	l:
Toxicity to fish (Chronic	: Remarks: Data not available	
toxicity) Toxicity to crustacean	: Remarks: Data not available	
(Chronic toxicity) Toxicity to microorganisms (Acute toxicity)	: Remarks: Data not available	
Persistence and degradability		
Product:		
Biodegradability	: Remarks: Expected to be not rea constituents are expected to be ir contains components that may pe	nherently biodegradable, but
Bioaccumulative potential		
Product:		
Bioaccumulation	: Remarks: Contains components bioaccumulate.	with the potential to
Mobility in soil		
Product:		
Mobility	: Remarks: Liquid under most envi enters soil, it will adsorb to soil pa mobile.	
Other adverse effects		
no data available <u>Product:</u>		
Additional ecological information	 Product is a mixture of non-volatil expected to be released to air in a Not expected to have ozone depl photochemical ozone creation po potential. Poorly soluble mixture., May caus organisms. 	any significant quantities., etion potential, tential or global warming

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	: Recover or recycle if possib	le.
---------------------	--------------------------------	-----

Version 2.2	Revision Date 02.03.2015	Print Date 04.03.2015
	It is the responsibility of the waste toxicity and physical properties of determine the proper waste class methods in compliance with appli Do not dispose into the environm courses	f the material generated to ification and disposal cable regulations.
Contaminated packaging	: Dispose in accordance with preva to a recognized collector or contra the collector or contractor should Disposal should be in accordance national, and local laws and regu	actor. The competence of be established beforehand. e with applicable regional,
Local legislation Remarks	: Disposal should be in accordance national, and local laws and regu	

14. TRANSPORT INFORMATION

International Regulation

ADR Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Pollution category Ship type Product name Special precautions	 Not applicable Not applicable Not applicable Not applicable Not applicable
Special precautions for user	
Remarks	: Special Precautions: Refer to Chapter 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.
Additional Information	: MARPOL Annex 1 rules apply for bulk shipments by sea.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The Manufacture, Storage and Import of Hazardous Chemicals Rules 1989 (amended version issued 2000). The Factories Act, 1948, The Second Schedule: Permissible levels of certain chemical substances in work environment, as amended through 1987. India Central motor Vehicles (Amendment) Rules 1993.

Revision Date 02.03.2015

Print Date 04.03.2015

16. OTHER INFORMATION

Abbreviations and Acronyms	:	The standard abbreviations and acronyms used in this document can be looked up in reference literature (e.g. scientific dictionaries) and/or websites.
SDS Regulation	:	Regulation 1907/2006/EC
Further information		
Other information	:	A vertical bar () in the left margin indicates an amendment from the previous version.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.