

### MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

### SDS #: 35990

# **NEVASTANE HD2T**

### Date of the previous version: 2012-03-20

Revision Date: 2013-05-31

Version 2.01

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name	NEVASTANE HD2T
Number	LPO
Pure substance/mixture	Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Identified uses

Grease for incidental food contact.

### 1.3. Details of the supplier of the safety data sheet

Supplier	TOTAL LUBRIFIANTS
	562 Avenue du Parc de L'ile
	92029 Nanterre Cedex
	Tél: +33 (0)1 41 35 40 00
	Fax: +33 (0)1 41 35 84 71

### For further information, please contact:

Contact Point	HSE
E-mail Address	rm.msds-lubs@total.com

### 1.4. Emergency telephone number

### +33 1 49 00 00 49 (24h/24, 7d/7)

France - ORFILA (INRS) Tél : +33 (0)1 45 42 59 59

In France : - PARIS : Hôpital Fernand Widal 200, rue du Faubourg Saint-Denis 75475 Paris Cédex 10, Tel : 01.40.05.48.48. - MARSEILLE : Hopital Salvator, 249 bd Ste Marguerite 13274 Marseille cedex 5, Tel : 04.91.75.25.25. - LYON : Hopital Edouard Herriot, 5 place d'Arsonvol, 69437 Lyon cedex 3, Tel : 04.72.11.69.11. - NANCY : Hopital central, 29 Av du Mal De Lattre de Tassigny, 54000 Nancy, Tel : 03.83.32.36.36 ou le SAMU : Tel (15)

### 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

### REGULATION (EC) No 1272/2008

For the full text of the H-Statements mentioned in this Section, see Section 2.2.

### DIRECTIVE 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16



# **NEVASTANE HD2T**

Revision Date: 2013-05-31

Version 2.01

The substance/mixture is classified as dangerous in accordance with Directive(s) 67/548/EEC with amendments and/or 1999/45/EC with amendments Classification R52-53 \*\*\*

### 2.2. Label elements

Labelled according to

Directive 1999/45/EC

#### R-phrase(s)

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment\*\*\*

#### S-phrase(s)

S61 - Avoid release to the environment. Refer to special instructions/safety data sheets\*\*\*

2.3. Other hazards

Physical-Chemical Properties Contaminated surfaces will be extrem	nely sl	ippery	1.
---	---------	--------	----

Environmental properties Should not be released into the environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixture

#### **Chemical nature** Product additived based on severly refined white mineral oil. EC-No **REACH** registration **Classification (Dir.** Classification (Reg. **Chemical Name** CAS-No Weight % 67/548) 1272/2008) No 2,6-di-tert-butyl-p-cresol\* 204-881-4 01-2119555270-46\* 128-37-0 <1 N;R50-53 Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Zinc oxide\*\*\* 1314-13-2 215-222-5 N;R50-53 Aquatic Acute 1 (H400) no data available <1 Aquatic Chronic 1 (H410)\*\*

For the full text of the R-phrases mentioned in this Section, see Section 16 For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

### 4.1. Description of first-aid measures

. . . . . . . . . . .

### **General advice**

IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.



<b>SDS #</b> : 35990	NEVASTANE HD2T	NEVASTANE HD2T			
	<b>Revision Date:</b> 2013-05-31	Version 2.01			
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.				
Skin contact	Remove contaminated clothing and shoes. Wash skin with soap and wa contaminated clothing before reuse. High pressure jets may cause skin damage. Take victim immediately to				
Inhalation	Move to fresh air.				
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconsci physician or Poison Control Center immediately.	ous person. Call a			
4.2. Most important	t symptoms and effects, both acute and delayed				
Eye contact	Not classified.				
Skin contact	Not classified. High pressure injection of the products under the skin machine consequences even though no symptom or injury may be apparent.	ay have very serious			
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irrit system.	ation of respiratory			
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, v diarrhea.	omiting and			
4.3. Indication of in	mmediate medical attention and special treatment needed, it	f necessary			

### Notes to physician

Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

Suitable Extinguishing Media Carbon dioxide (CO<sub>2</sub>). ABC powder. Foam. Water spray or fog.

**Unsuitable Extinguishing Media** Do not use a solid water stream as it may scatter and spread fire.

### 5.2. Special hazards arising from the substance or mixture

Special HazardIncomplete combustion and thermolysis may produce gases of varying toxicity such as<br/>carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may<br/>be highly dangerous if inhaled in confined spaces or at high concentration.

### 5.3. Advice for fire-fighters

**Special protective equipment for** Wear self-contained breathing apparatus and protective suit. **fire-fighters** 



# **NEVASTANE HD2T**

Revision Date: 2013-05-31

Version 2.01

Other informationCool containers / tanks with water spray. Fire residues and contaminated fire extinguishing<br/>water must be disposed of in accordance with local regulations.

### 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

 General Information
 Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

### 6.2. Environmental precautions

General Information Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

### 6.3. Methods and materials for containment and cleaning up

Methods for cleaning upDam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g.<br/>sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according<br/>to local / national regulations (see section 13). Collect free product with suitable<br/>mechanical means. Keep in suitable, closed containers for disposal.

### 6.4. Reference to other sections

Personal Protective Equipment See Section 8 for more detail.

Waste treatment See section 13.

### 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Advice on safe handling	When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.
Prevention of fire and explosion	Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment.
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.



# **NEVASTANE HD2T**

Revision Date: 2013-05-31

Version 2.01

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage<br/>conditionsKeep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep<br/>container tightly closed. Keep preferably in the original container. Otherwise reproduce all<br/>indication of the regulation label on the new container. Do not remove the hazard labels of<br/>the containers (even if they are empty). Design the installations in order to avoid accidental<br/>emissions of product (due to seal breakage, for example) onto hot casings or electrical<br/>contacts. Protect from frost, heat and sunlight. Protect from moisture.

Materials to Avoid Strong oxidizing agents.

7.3. Specific end uses

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits	oil mist : 10mg/m <sup>3</sup> , for 15 minutes
	oil mist : 5mg/m <sup>3</sup> , for 8 hours

Legend

See section 16

### DNEL Worker (Industrial/Professional)\*\*\*

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
2,6-di-tert-butyl-p-cresol**	2 mg/m <sup>3</sup> Inhalation***			
128-37-0				
Zinc oxide*** 1314-13-2			83 mg/kg bw/day Dermal 5 mg/m <sup>3</sup> Inhalation***	

DNEL Consumer\*\*\*

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
2,6-di-tert-butyl-p-cresol** * 128-37-0			0.25 mg/kg bw/day Oral***	
Zinc oxide*** 1314-13-2			83 mg/kg bw/day Dermal 2.5 mg/m³ Inhalation 0.83 mg/kg bw/day Oral***	

Predicted No Effect Concentration \*\*\* (PNEC)

Chemical Name	Water	Sediment	Soil	Air	STP	Oral
2,6-di-tert-butyl-p-cr	0.0041 mg/l fw	0.731 mg/kg dw	0.35 mg/kg dw***			
esol***	0.0041 mgg/l	fw				
128-37-0	mw***	0.731 mg/kg dw				
		mw***				



# **NEVASTANE HD2T**

Revision Date: 2013-05-31

Version 2.01

Zinc oxide***	20.6 µg/l fw	117.8 mg/kg fw	35.6 mg/kg dw***	52 µg/l***	
1314-13-2	6.1 µg/l mw***	dw			
		56.5 mg/kg mw dw***			

8.2. Exposure controls

### **Occupational Exposure Controls**

Engineering Measures	Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.
Personal Protective Equipment	
General Information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.
Respiratory protection	None under normal use conditions. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.
Eye Protection	If splashes are likely to occur, wear:. Safety glasses with side-shields.
Skin and body protection	Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.
Hand Protection	If necessary: Hydrocarbon-proof gloves: Fluorinated rubber, Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.***

### **Environmental exposure controls**

**General Information** 

The product should not be allowed to enter drains, water courses or the soil.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Color Physical State @20°C Odor

Property\_ pH Boiling point/boiling range Values

Remarks Not applicable Not applicable

Characteristic

white

solid

Method



# **NEVASTANE HD2T**

Revision Date: 2013-05-31

Version 2.01

Flash point	> 200 °C		
Evaporation rate Flammability Limits in Air Vapor Pressure Vapor density	> 392 °F	No information available No information available No information available No information available	
Density Water solubility Solubility in other solvents logPow	~ 900 kg/m <sup>3</sup>	@ 20 °C Insoluble No information available No information available	
Autoignition temperature Viscosity, kinematic	> <b>250 °C</b> > 482 °F	No information available	ASTM E659 ASTM E659
Explosive properties Oxidizing Properties Possibility of hazardous reactions	Not explosive Not applicable Not applicable		
9.2. Other information			
Drop point	>= 240 °C		ISO 2176
10. STABILITY AND REACT	IVITY		
10.1. Reactivity			
10.2. Chemical stability			
Stability	Stable under recommer	nded storage conditions.	
10.3. Possibility of hazardo	ous reactions		
Hazardous Reactions	None under normal proc	cessing.	
10.4. Conditions to Avoid			
Conditions to Avoid	Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.		
10.5. Incompatible Materia	als		
Materials to Avoid	Strong oxidizing agents		
10.6. Hazardous Decompo	sition Products		
Hazardous Decomposition Product	s None under normal use varying toxicity such as and soot.	. Incomplete combustion and th carbon monoxide, carbon dioxi	nermolysis may produce gases of ide, various hydrocarbons, aldehyde



## **NEVASTANE HD2T**

Revision Date: 2013-05-31

Version 2.01

### 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

### Acute toxicity Local effects Product Information

Skin contact	. Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.
Eye contact	. Not classified.
Inhalation	. Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	. Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
2,6-di-tert-butyl-p-cresol***	LD50 2201 mg/kg (Rat)***	LD50 2201 mg/kg (Rabbit)***	
Zinc oxide***	> 5000 mg/kg (Rat)		LC50 (4h) > 5700 mg/m³ dust and mist (Rat)***
Sensitization	•		• · · ·
Sensitization	Not classified as a sensitizer.		
Specific effects			
Carcinogenicity Mutagenicity Reproductive toxicity Repeated Dose Toxicity	This product is not classified of This product is not classified a This product does not present	5	oductive hazards.
Subchronic toxicity	No information available.		
Target Organ Effects (STOT)			
Target Organ Effects (STOT)	No information available.		
Other information			
Other adverse effects	Characteristic skin lesions (pir exposures (contact with conta	nples) may develop following p minated clothing).	prolonged and repeated

### 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity



### **NEVASTANE HD2T**

Revision Date: 2013-05-31

Version 2.01

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### Acute aquatic toxicity - Product Information

No information available.

### Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
2,6-di-tert-butyl-p-cresol*** 128-37-0	EC50 (72h) 0.17 mg/l (Algae)***	LC50 (48h) 0.42 mg/l (Daphnia magna)***	LC50 (96h) > 0.57 mg/l (fish)***	
Zinc oxide*** 1314-13-2	EC50 (72h) 0.17 mg/l Selenastrum Capricornutum***			

### Chronic aquatic toxicity • Product Information

No information available.

### Chronic aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
2,6-di-tert-butyl-p-cresol*** 128-37-0		NOEC (21d) 0.14 mg/l (Daphnia magna)***		

### Effects on terrestrial organisms

No information available.

### 12.2. Persistence and degradability

### **General Information**

No information available.

### 12.3. Bioaccumulative potential

. . . . . . . . . .

Product Information No information available.

Component Information	
logPow No information available	

Chemical Name	log Pow
2,6-di-tert-butyl-p-cresol*** - 128-37-0	5.1***
12.4. Mobility in soil	

Soil

Given its physical and chemical characteristics, the product has no soil mobility.

Air

- - -

Loss by evaporation is limited.



<b>SDS #</b> : 35990	NEVASTANE HD2T	
	<b>Revision Date:</b> 2013-05-31	Version 2.01
Water	The product is insoluble and floats on water.	
12.5. Results of PBT and	vPvB assessment	
PBT and vPvB assessment	No information available.	
12.6. Other adverse effect	<u>sts</u>	
General Information	No information available.	
13. DISPOSAL CONSIDER	ATIONS	
13.1. Waste treatment m	ethods	
Waste from Residues / Unused Products	Should not be released into the environment. Dispose of in accordance with Directives on waste and hazardous waste. Dispose of in accordance with loc	
Contaminated packaging	Empty containers should be taken to an approved waste handling site for reading disposal.	cycling or
EWC Waste Disposal No.	The following Waste Codes are only suggestions:. 12 01 12. According to th Waste Catalogue, Waste Codes are not product specific, but application spe codes should be assigned by the user based on the application for which the used.	cific. Waste
14. TRANSPORT INFORMA	ATION	
	Not regulated	

ADR/RID	Not regulated
IMDG/IMO	Not regulated
ICAO/IATA	Not regulated
ADN	Not regulated

### 15. REGULATORY INFORMATION

<u>15.1.</u> Safety, health and environmental regulations/legislation specific for the substance or <u>mixture</u>

European Union



### **NEVASTANE HD2T**

**Revision Date:** 2013-05-31

Version 2.01

International Inventories

EINECS/ELINCS	•
TSCA	-
DSL	
ENCS	
IECSC	
KECL	
PICCS	
AICS	
NZIoC	-
Legend	
EINECS/ELINCS - European Inventory of I	Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
TSCA - United States Toxic Substances C	ontrol Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substance	ces List/Non-Domestic Substances List
ENCS - Japan Existing and New Chemical	Substances
IECSC - China Inventory of Existing Chem	ical Substances
KECL - Korean Existing and Evaluated Ch	emical Substances
PICCS - Philippines Inventory of Chemical	s and Chemical Substances
AICS - Australian Inventory of Chemical Su	ubstances
NZIOC - New Zealand Inventory of Chemic	als

Further information

### 15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available

### 16. OTHER INFORMATION

### Full text of R-phrases referred to under sections 2 and 3

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment\*\*\*

### Full text of H-Statements referred to under sections 2 and 3

H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects\*\*\*

. . . . . . . . . .

#### Abbreviations, acronyms

Legend Section 8			
+	Sensitizer	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction

**Revision Date:** 

2013-05-31



**NEVASTANE HD2T** 

Revision Date: 2013-05-31

Version 2.01

**Revision Note** 

SDS #: 35990

\*\*\* Indicates updated section.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet