



## Gulf Multi G

### Passenger Car Motor Oil

#### Product Description

**Gulf Multi G** series are passenger car motor oils designed for older gasoline powered passenger cars and naturally aspirated diesel engines of light duty vehicles. These are blended using good quality base oils and performance additives to ensure better engine protection. Gulf Multi G is developed to exceed the performance requirements of API (American Petroleum Institute) SF/CD and is available in five viscosity grades viz. SAE 15W-40, SAE 20W-40, SAE 20W-50, SAE 20W-60 & 25W-60.

#### Features & Benefits

- Good thermo-oxidative stability minimises deposits & sludge build-up
- Effective rust inhibitors retard formation of rust in critical engine parts
- Better antiwear technology minimises engine wear & reduces maintenance costs
- Good Stay-in-grade performance ensures reliable lubrication even at higher load & operating temperatures

#### Applications

- Recommended for use in passenger cars, light trucks and vans with naturally aspirated gasoline engines or light-duty diesel engines, where API SF/CD quality oil is required
- It is suitable for year-round use under wide temperature conditions and ensures trouble free operation

#### Specifications, Approvals & Typical Properties

Specifications		15W-40	20W-40	20W-50	20W-60	25W-60
API SF		X	X	X	X	X
API CD		X	X	X	X	X
Typical Properties						
SAE Viscosity grade	ASTM Method	Typical Values				
Viscosity @ 100 °C, cSt	D 445	14.20	14.10	18.60	23.70	24.4
Viscosity Index	D 2270	130	110	125	135	117
Flash Point, °C	D 92	220	236	238	238	242
Pour Point, °C	D 97	-27	-24	-21	-21	-21
TBN, mg KOH/g	D 2896	5.00	5.00	5.00	5.00	5.00
Density @ 15°C, Kg/l	D 1298	0.898	0.897	0.898	0.899	0.892
Sulphated Ash, %wt	D 874	0.7	0.7	0.7	0.7	0.7

July 2009

Properties mentioned above are typical only and minor variations, which do not affect the product performances, are to be expected in normal manufacturing. The above information is based on past history of the grade only and must not be construed as a guarantee of performance. Follow equipment manufacturer's recommendations for performance level and viscosity grade. The Material Safety Data Sheet for this product is available from your nearest Gulf Distributor.

#### Gulf Oil International

The information contained herein is believed to be correct at time of publication. No warranty expressed or implied is given concerning the accuracy of the information or the suitability of the products. Gulf Oil International reserves the right to modify and change its products and specifications without prior notice.

[www.gulfoilltd.com](http://www.gulfoilltd.com)